

Oxygen, compressed

Issue Date: 20/11/2014 01/06/2018 Last revised date:

Version: 2

1<u>/</u>13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name:	Oxygen compressed
Additional identification	
Chemical name:	oxygen
chemical nume.	ovyBen
Chemical formula:	02
INDEX No.	008-001-00-8
CAS-No.	7782-44-7
EC No.	231-956-9
REACH Registration No.	Listed in Annex IV/ V of Regulation (EC) No 1907/ 2006 (REACH), exempted
	from registration.
1.2 Relevant identified uses of the substa	nce or mixture and uses advised against
Identified uses:	0
	Industrial and professional. Perform risk assessment prior to use.
	Balance gas for mixtures. Calibration gas. Carrier gas. Chemical synthesis. Combustion, melting and cutting processes. Food packaging gas. Laboratory use. Laser gas. Oxidising agent. Process gas. Shielding gas in gas welding. Test gas. Use of gas to manufacture pharmaceutical products.
	Consumer use.
	Oxidising agent.
Uses advised against	Industrial or technical grade unsuitable for medical and/ or food applications
	or inhalation.

1.3 Details of the supplier of the safety data sheet Supplier

Adams Gas Strasbourg Street, Westwood Ind Estate Margate, Kent, UK, CT9 4JF

E-mail: info@adamsgas.co.uk 1.4 Emergency telephone number: 0044 1843 220596 Telephone: 0044 1843 220168

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

O; R8



Oxygen, compressed

Version: 2

Issue Date: 20/11/2014 Last revised date: 01/06/2018

2<u>/</u>13

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended. Physical

Hazards

Oxidising gases Gases under pressure Category 1

H270: May cause or intensify fire; oxidiser. Compressed gas H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements



Signal Words:	Danger
Hazard Statement(s):	H270: May cause or intensify fire; oxidiser. H280: Contains gas under pressure; may explode if heated.
Precautionary Statement	
Prevention:	P220: Keep/Store away from combustible materials. P244: Keep valves and fittings free from oil and grease.
Response:	P370+P376: In case of fire: Stop leak if safe to do so.
Storage:	P403: Store in a well-ventilated place.
Disposal:	None.
2.3 Other hazards:	None.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	oxygen
INDEX No.:	008-001-00-8
CAS-No.:	7782-44-7
EC No.:	231-956-9
REACH Registration No.:	Listed in Annex IV/ V of Regulation (EC) No 1907/ 2006 (REACH), exempted from registration.



		Oxygen, compressed	
Issue Date: <u>Last revised date:</u>	20/11/2014 <u>01/06/2018</u>	Version: 2	3 <u>/</u> 13
		4000/	_
Purity:		100% The purity of the substance in this section is used for classification only and not represent the actual purity of the substance as supplied, for which o documentation should be consulted.	
Trade name:		-	
SECTION 4: First A	d Measures		
General:		Move the exposed person to fresh air at once.	
4.1 Description of f Inhalation:	irst aid measures		
		Move the exposed person to fresh air at once.	
Eye contact:		Adverse effects not expected from this product.	
Skin Contact:		Adverse effects not expected from this product.	
Ingestion:		Ingestion is not considered a potential route of exposure.	
4.2 Most important nausea, effects, delayed:	symptoms and both acute and	Continuous inhalation of concentrations higher than 75% may cause dizziness, respiratory difficulty and convulsion.	
4.3 Indication of an	y immediate mec	lical attention and special treatment needed	
Hazards:		None.	
Treatment:		None.	
SECTION 5: Firefig	nting Measures		
General Fire Ha	zards:	Heat may cause the containers to explode.	
5.1 Extinguishing m Suitable exting		Water. Dry powder. Foam. Carbon dioxide.	
Unsuitable exti	nguishing N	one. media:	
5.2 Special hazards a substance or m		Supports combustion.	



		e.,8e., ee.p.eeee	
lssue Date: Last revised dat	20/11/2014 te: 01/06/2018	Version: 2	4/_13
Hazardous	Combustion Products:	None.	
5.3 Advice for Special fir	r firefighters re fighting procedures:	In case of fire: Stop leak if safe to do so. Continue water sposition until container stays cool. Use extinguishants to o the source of the fire or let it burn out.	
Special protective equipment for firefighters:		Firefighters must use standard protective equipment inclucoat, helmet with face shield, gloves, rubber boots, and in Guideline: EN 469 Protective clothing for firefighters. Perf for protective clothing for firefighting. EN 15090 Footweat Protective gloves for firefighters. EN 443 Helmets for firefighters tructures. EN 137 Respiratory protective devices - scircuit compressed air breathing apparatus with full face retesting, marking.	n enclosed spaces, SCBA. formance requirements r for firefighters. EN 659 fighting in buildings and Self-contained open
SECTION 6: A	ccidental Release Mea	isures	
6.1 Persona	al precautions, e equipment and	Evacuate area. Eliminate all ignition sources if safe to do ventilation. Prevent from entering sewers, basements and	•

protective equipment and emergency procedures:	ventilation. Prevent from entering sewers, basements and work pits, or any place where its accumulation can be dangerous. Monitor the concentration of the released product.
6.2 Environmental Precautions:	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for containment and cleaning up:	Provide adequate ventilation.
6.4 Reference to other sections:	Refer to sections 8 and 13.
SECTION 7: Handling and Storage	



Oxygen, compressed

Issue Date: 20/11/2014 Last revised date: 01/06/2018 Version: 2

Ssue Date. 20/11/2014	
ast revised date: 01/06/2018	5/13
7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Keep equipment free from oil and grease. Open valve slowly to avoid pressure shock. Use only oxygen approved lubricants and sealants. Use only with equipment cleaned for oxygen service and rated for the pressure. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment e.g. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow back feed into the container. Avoid suck back of water, acid and alkalis. Keep container below 50°C in a well-ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/ regional/ national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from containers particularly oil and wate
7.2 Conditions for safe storage, including any incompatibilities:	
7.3 Specific end use(s):	None.

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control Parameters Occupational Exposure Limits

None of the components have assigned exposure limits.



Oxygen, compressed

ue Date:	20/11/2014	Version: 2	
t revised date:	01/06/2018		6 <u>/</u> 13
2 Exposure contr			
Appropriate en	gineering control	Is: Consider a work permit system e.g. for maintenance activities. Ensure activities are ventilation. Avoid oxygen rich (>23,5%) atmospheres. Gas detectors are used when quantities of oxidising gases may be released. Provide adeque ventilation, including appropriate local extraction, to ensure that the detoccupational exposure limit is not exceeded. Systems under pressure sharegularly checked for leakages. Preferably use permanent leak tight continue, welded pipes). Do not eat, drink or smoke when using the product.	should be ate fined ould be
Individual prot	ection measures,	such as personal protective equipment	
General infor	nation:	A risk assessment should be conducted and documented in each work a assess the risks related to the use of the product and to select the PPE th matches the relevant risk. The following recommendations should be considered. Keep self-contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be s based on the task being performed and the risks involved.	nat or
Eye/face prot	ection:	Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.	
Skin protectio	'n		
Hand Prote		Wear working gloves while handling containers Guideline: EN 388 Protective gloves against mechanical risks.	
Body protec	ction:	No special precautions.	
Other:		Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.	
Respiratory P	rotection:	Not required.	
Thermal haza	rds:	No precautionary measures are necessary.	
Hygiene meas	sures:	Specific risk management measures are not required beyond good indust hygiene and safety procedures. Do not eat, drink or smoke when using product.	
Environmental controls:	exposure	For waste disposal, see section 13.	

SECTION 9: Physical and Chemical Properties



Oxygen, compressed

20/11/2014 Issue Date: Last revised date: 01/06/2018 Version: 2

7<u>/</u>13

9.1 Information on basic physical and chemical properties Appearance

Physical state:	Gas
Form:	Compressed gas
Colour:	colourless
Odour:	Odourless
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of
pH:	over exposure. not applicable.
Melting Point:	-218.4 °C
Boiling Point:	-183 °C
Sublimation Point:	not applicable.
Critical Temp. (°C):	-118.0 °C
Flash Point:	Not applicable to gases and gas
Evaporation Rate:	mixtures. Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability limit - upper (%):	not applicable.
Flammability limit - lower(%):	not applicable.
Vapour pressure:	4,053 kPa (-124.1 °C)
Vapour density (air=1):	No data available.
Relative density:	1.1
Solubility(ies)	
Solubility in Water:	39 mg/ l
Partition coefficient (n-octanol/water):	Not known.
Autoignition Temperature:	not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	Not applicable.
Oxidising Properties:	Oxidising
9.2 Other information:	None.
Molecular weight:	32 g/ mol (O2)
ION 10: Stability and Boastivity	

SECTION 10: Stability and Reactivity

10.1 Reactivity:

No reactivity hazard other than the effects described in sub-section below.



Issue Date:	20/11/2014	Version: 2	
Last revised date:	01/06/2018	8/1	3
10.2 Chemical Stal	bility:	Stable under normal conditions.	
10.3 Possibility of Reactions:	Hazardous	Violently oxidises organic material. May react violently with combustible materials May react violently with reducing agents.	5.
10.4 Conditions to	Avoid:	None.	
10.5 Incompatible	Materials:	Combustible materials Reducing Agents. Keep equipment free from oil and grease. For material compatibility see latest version of ISO-11114. Consider the potential toxicity hazard due to the presence of chlorinated or fluorinated polymers in high pressure (>30 bar) oxygen lines and equipment in case of combustion.	
10.6 Hazardous De Products:	ecomposition	Under normal conditions of storage and use, hazardous decomposition product should not be produced.	S
SECTION 11: Toxic	cological Informa	ation	
General infor	mation:	None.	
11.1 Information of	on toxicological ef	fects	
Acute toxicity Product	y - Oral	Based on available data, the classification criteria are not met.	
Acute toxicity Product	y - Dermal	Based on available data, the classification criteria are not met.	
Acute toxicity Product	y - Inhalation	Based on available data, the classification criteria are not met.	
Skin Corrosio Product	n/Irritation	Based on available data, the classification criteria are not met.	
Serious Eye D Product	Damage/Eye Irritat	ion Based on available data, the classification criteria are not met.	
Respiratory o Product	or Skin Sensitisatio	n Based on available data, the classification criteria are not met.	
Germ Cell Mu Product	utagenicity	Based on available data, the classification criteria are not met.	



Oxygen, compressed

Issue Date: Last revised date: Carcinogenicity Product Reproductive to Product	20/11/2014 01/06/2018	Version: 2 Based on available data, the classification criteria are not met.	9 <u>/</u> 13
Carcinogenicity Product Reproductive to		Based on available data, the classification criteria are not met.	9 <u>/</u> 13
Product Reproductive to		Based on available data, the classification criteria are not met.	
Product Reproductive to		Based on available data, the classification criteria are not met.	
Reproductive to		Based on available data, the classification criteria are not met.	
Product	oxicity		
		Based on available data, the classification criteria are not met.	
	Organ Toxicity	Single Exposure	
Product		Based on available data, the classification criteria are not met.	
Specific Target	Organ Toxicity	Repeated Exposure	
Product		Based on available data, the classification criteria are not met.	
Aspiration Haza	ard		
Product		Not applicable to gases and gas mixtures.	
SECTION 12: Ecolog	ical informatio	DN	
12.1 Toxicity			
Acute toxicity			
Product		No ecological damage caused by this product.	
Troduct			
12.2 Persistence and I	Degradability		
Product		Not applicable to gases and gas mixtures.	
	D		
12.3 Bioaccumulative	Potential		
Product		The substance is naturally occurring.	
12.4 Mobility in Soil			
Product		Because of its high volatility, the product is unlikely to cause ground or	water
		pollution.	
	and a DecD		
12.5 Results of PBT a	ιπα νρνβ	assessment	
Product		Not classified as PBT or vPvB.	
12.6 Other Adverse Ef	fects:	No ecological damage caused by this product.	

13.1 Waste treatment methods

General information: Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well-ventilated place.



Oxygen, compressed

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

10<u>/</u>13

Disposal methods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.
European Waste Codes Container:	
	16 05 04*: gases in pressure containers (including halons) containing dangerous substances
SECTION 14: Transport Information	
ADR 14.1 UN Number:	UN 1072

14.1 UN Number:	UN 1072
14.2 UN Proper Shipping Name:	OXYGEN COMPRESSED
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2, 5.1
Hazard No. (ADR):	25
Tunnel restriction code:	(E)
Emergency Action Code:	25
14.4 Packing Group:	_
14.5 Environmental hazards:	not applicable
14.6 Special precautions for user:	-
RID	
14.1 UN Number:	UN 1072
14.2 UN Proper Shipping Name	OXYGEN COMPRESSED
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2, 5.1
14.4 Packing Group:	_
14.5 Environmental hazards:	not applicable
14.6 Special precautions for user:	_
IMDG	
14.1 UN Number:	UN 1072



Oxygen, compressed

_			
lssue Date:	20/11/2014	Version: 2	
Last revised date:	01/06/2018		11 <u>/</u> 13
14.2 UN Prope	er Shipping Name:	OXYGEN COMPRESSED	
14.3 Transport	t Hazard Class(es)		
Class:		2.2	
Label(s):		2.2, 5.1	
EmS No.:		F-C, S-W	
14.3 Packing G	iroup:	-	
14.5 Environm	ental hazards:	not applicable	
14.6 Special precautions for user:		-	
ΙΑΤΑ			
14.1 UN Numb	ber:	UN 1072	
14.2 Proper Sh	hipping Name:	Oxygen compressed	
14.3 Transport	t Hazard Class(es):		
Class:		2.2	
Label(s):		2.2, 5.1	
14.4 Packing G	iroup:	-	
14.5 Environm	ental hazards:	not applicable	
14.6 Special pr	recautions for user:	-	
Other inf	ormation		
Passen	ger and cargo aircraft:	Allowed.	
Cargo a	aircraft only:	Allowed.	

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.	Additional identification:	
---	----------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Directive 96/82/EC (Seveso II): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
---------------	---------	---------------



Oxygen, compressed

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

oxygen	7782-44-7	100%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
oxygen	7782-44-7	100%

National Regulations

Management of Health and Safety at Work Regulations (1999 No. 3242). The Regulatory Reform (Fire Safety) Order 2005 (2005 No. 1541). Control of Substances Hazardous to Health Regulations (COSHH, 2002 No. 2677). Provision and Use of Work Equipment Regulations (PUWER, 1998 No. 2306). Personal Protective Equipment Regulations (1992 No. 2966). Control of Major Accident Hazards Regulations (COMAH, 2015 No. 483). Pressure Systems Safety Regulations (PSSR, 2000 No. 128). Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/ 2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 453/ 2010.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other Information

Revision Information:	Not relevant.
Key literature references	and Various sources of data have been used in the compilation of this SDS, they include
sources for data:	but are not exclusive to:
	Agency for Toxic Substances and Diseases Registry (ATSDR)
	(http://www.atsdr.cdc.gov/).
	European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 Classification and Labelling guide.
	International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition.

12<u>/</u>13



		exigen, compressed
Issue Date: <u>Last revised date:</u>	20/11/2014 _ <u>01/06/2018</u>	Version: 2 13 <u>/</u> 13
	<u>,,</u>	
		National Institute for Standards and Technology (NIST) Standard Reference Database Number 69. The ESIS (European chemical Substances 5 Information System) platform of the
		former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/ esis/). The European Chemical Industry Council (CEFIC) ERICards.
		United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html)
		Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).
		Substance specific information from suppliers.
		Details given in this document are believed to be correct at the time of publication. EH40 (as amended) Workplace exposure limits.
Wording of the R-p	hrases and H-st	atements in sections 2 and 3
		H270 May cause or intensify fire; oxidiser.
		H280 Contains gas under pressure; may explode if heated. R8 Contact with combustible material may cause fire.
Training informatio	en:	Users of breathing apparatus must be trained. Ensure operators understand the hazard of oxygen enrichment. Ensure operators understand the hazards.
Classification accor	ding to Regulati	on (EC) No 1272/ 2008 as amended.
		Ox. Gas 1, H270
		Press. Gas Compr. Gas, H280
Other information:		Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/ local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. Note: When the Product Name appears in the SDS header the decimal sign and its position comply with rules for the structure and drafting of international standards and is a comma on the line. As an example, 2,000 is two (to three decimal places) and not two thousand, whilst 1.000 is one thousand and not one (to three decimal places).
Last revised date: Disclaimer:		01/06/2018 This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.